

## Publicaciones científicas en revistas indexadas

1. Andreo, B. Carrasco y Sanz de Galdeano (1997): Types of carbonate aquifers according to the fracturation and the karstification in a southern Spanish area. *Environmental Geology*, 30(3/4): 163-173
2. Vadillo, I.; Carrasco, F.; Andreo, B.; García de Torres A. y Bosch C. (1999): Chemical composition of landfill leachate in a karst area with a Mediterranean climate (Marbella, southern Spain). *Environmental Geology*, 37(4): 326-332.
3. Andreo, B. y Carrasco, F. (1999): Application of geochemistry and radioactivity in the hydrogeological investigation of carbonate aquifers (Sierras Blanca and Mijas, southern Spain). *Applied Geochemistry*, 14: 283-289.
4. Sanz de Galdeano, C.; López Garrido, A.C. y Andreo, B. (1999): The stratigraphic and tectonic relationships of the Alpujarride and Malaguide complexes in the western Betic Cordillera (Casares, prov. of Malaga, S. Spain). *Comtes Rendus de l'Académie des Sciences Paris / Earth & Planetary Sciences*, 328: 113-119.
5. Andreo, B.; Martín Martín, M. y Martín Algarra, A. (1999): Hydrochemistry of spring waters associated with travertines. Example of the Sierra de la Alfaguara (Granada, Southern Spain). *Comtes Rendus de l'Académie des Sciences Paris / Earth & Planetary Sciences*, 328: 745- 750.
6. Sanz de Galdeano, C.; Andreo, B.; García Tortosa, F.J. y López Garrido, A.C. (2001): The Triassic palaeogeographic transition between the Alpujarride and Malaguide complexes. Betic-Rif Internal Zone (S Spain, N Morocco). *Palaeogeography, Palaeoclimatology, Palaeoecology*, 167: 157-173.
7. Sanz de Galdeano, C.; Andreo, B. y López Garrido, A.C. (2001): Comment on the paper "Late exhumation stages of the Alpujarride Complex (Western Betic Cordilleras, Spain): new thermochronological and structural data on Los Reales and Ojen nappes". *Tectonophysics*, 331: 413-417.
8. Pistre, S.; Liñán, C.; Andreo, B.; Carrasco, F., Drogue, C. y Martín Algarra, A. (2002) Role d'un régime extensif pre-quaternaire dans la karstification des massifs carbonatés de la Cordillère Bétique occidentale: exemple du massif de Yunquera-Nieves (Espagne). *Bulletin de la Société Géologique France*, 173(5): 437-448.
9. Andreo, B.; Carrasco, F.; Bakalowicz, M.; Mudry, J. y Vadillo, I (2002): Use of hydrodynamic and hydrochemistry to characterise carbonate aquifers. Case study of the Blanca- Mijas unit (Málaga, southern Spain). *Environmental Geology*, 43: 108-119. DOI: 10.1007/s00254- 002-014-z.
10. Martín-Algarra, A.; Martín-Martín, M.; Andreo, B.; Julià, R. y González-Gómez, C. (2003): Sedimentary patterns in perched spring travertines near Granada (Spain) as indicators of paleohydrological and paleoclimatological evolution of a karst massif. *Sedimentary Geology*, 161: 217-228. DOI: 10.1016/S0037-0738(03)00115-5.
11. Batiot, C.; Liñán, C.; Andreo, B.; Emblanch, C.; Carrasco, C. y Blavoux, B. (2003): Use of Total Organic Carbon (TOC) as tracer of diffuse infiltration in a dolomitic karstic system: The Nerja Cave (Andalusia, southern Spain). *Geophysical Research Letters*, 30, 22, 2179: HLS 1-1 a HLS 1-4. DOI: 10.1029/2003GLO18546.
12. Andreo, B.; Liñán, C.; Carrasco, F.; Jimenez de Cisneros, C.; Caballero, E. y Mudry, J. (2004): Influence of rainfall quantity on the isotopic composition (O-18, H-2) of water in mountainous areas. Application for groundwater research in the Yunquera-

13. Nieves karst aquifers (Spain). *Applied Geochemistry*, 19: 561-574. DOI: 10.1016/j.apgeochem.2003.08.002.
14. Vías, J.M.; Andreo, B.; Perles, M.J. y Carrasco, F. (2005): A comparative study of four schemes for groundwater vulnerability mapping in a diffuse flow carbonate aquifer under Mediterranean climatic conditions. *Environmental Geology*, 47: 586- 595. DOI: 10.1007/s00254- 004-1185-y.
15. Cuñat, J.; Palanco, S.; Carrasco, F.; Simón, M.D. y Laserna, J.J. (2005): Portable instrument and analytical method using laser-induced breakdown spectrometry for in situ characterization of speleothems in karstic caves. *Journal of Analytical Spectrometry*, 20: 295-300.
16. Vadillo, I.; Andreo, B. y Carrasco, F. (2005): Groundwater contamination by landfill leachates in a karstic aquifer. *Water, Air, and Soil Pollution*, 162: 143-169.
17. Andreo, B.; Jiménez, P.; Durán, J.J., Carrasco, F.; Vadillo, I. y Mangin, A. (2006): Climatic and hydrological variations during the last 117-166 years in the south of the Iberian peninsula from spectral and correlation analyses and wavelet continuous analyses. *Journal of Hydrology*, 324: 24-39. DOI: 10.1016/j.jhydrol.2005.09.010.
18. Andreo, B.; Goldscheider, N.; Vadillo, I.; Vías, J.M.; Neukum, C.; Sinreich, M.; Jiménez, P.; Brechenmacher, J.; Carrasco, F.; Hötzl, H.; Perles, M.J. y Zwahlen F. (2006): Karst groundwater protection: First application of a Pan-European Approach to vulnerability, hazard and risk mapping in the Sierra de Líbar (Southern Spain). *Science of the Total Environment*, 357: 54- 73. DOI: 10.1016/j.scitotenv.2005.05.09.
19. Vías, J.M.; Andreo, B., Perles, M.J.; Carrasco, F.; Vadillo, I. y Jiménez, P. (2006): Proposed method for groundwater vulnerability mapping in carbonate (karstic) aquifers: the COP method. Application in two pilot sites in Southern Spain. *Hydrogeology Journal*, 14: 912-925. DOI: 10.1007/s10040-006-0023-6.
20. Carrasco, F.; Andreo, B.; Liñán, C. y Mudry, J. (2006): Contribution of stable isotopes to understanding the unsaturated zone of a carbonate aquifer (Nerja cave, south Spain). *Comptes Rendus de l'Académie des Sciences Paris*, 338: 1203-1212. DOI: 10.1016/j.crte.2006.09.009.
21. Andreo, B. y Durán, J.J. –Editores del volumen especial- (2008): Theme issue on Groundwater in Mediterranean Countries. *Environmental Geology*, 54(3): 443-444. DOI: 10.1007/s00254-007-0848-x.
22. Draoui, M.; Vias, J.; Andreo, B.; Targuisti, K. y Stitou El Messari, J. (2008): A comparative study of four vulnerability mapping methods in a detritic aquifer under Mediterranean climatic conditions. *Environmental Geology*, 54(3): 455-463. DOI: 10.1007/s00254-007-0850-3.
23. Carrasco, F.; Sánchez D.; Vadillo, I., Andreo, B.; Martínez, C. y Fernández, L. (2008): Application of the European Framework Directive in a Western Mediterranean basin (Malaga, Spain). *Environmental Geology*, 54(3): 575-585. DOI: 10.1007/s00254- 007-0852-1.
24. Cuñat J.; Fortes F.J.; Cabalín L.M.; Carrasco F.; Simón M.D. y Laserna J.J. (2008): Manportable laser-induced breakdown spectroscopy system for in situ characterization of karstic formations. *Applied Spectroscopy*, 62(11):1250-1255.

25. Andreo, B.; Vías, J.M.; Durán, J.J.; Jiménez, P.; López Geta, J.A. y Carrasco, F. (2008): Methodology for groundwater recharge assessment in carbonate aquifers: application to pilot sites in southern Spain. *Hydrogeology Journal*, 16:911-925. DOI: 10.1007/s10040-008-0274-5.
26. Hodge, E.J.; Richards, D.A.; Smart, P.L.; Andreo, B.; Hoffmann, D.L.; Matthey, D.P. y González Ramón, A. (2008): Effective precipitation in southern Spain (266 to 46 ka) based on a speleothem stable carbon isotope record. *Quaternary Research*, 69: 447-457. DOI: 10.1016/j.yqres.2008.02.013.
27. Andreo, B. –Editor del volumen especial- (2008): Karst hydrogeology in caves (special issue). *Internacional Journal of Speleology*, 37(1): 1-1.
28. Jiménez, M.; Stoll, H.; Vadillo, I.; López Chicano, M.; Domínguez, M.; Martín, W. y Meléndez, M. (2008): Groundwater contamination in caves: four cases studies in Spain. *Internacional Journal of Speleology*, 37(1): 53-66.
29. Mudry, J.; Andreo, B.; Charmoille, A.; Liñán, C. y Carrasco, F. (2008): Some applications of geochemical and isotopic techniques to hydrogeology of the caves after research in two sites (Nerja Cave-S Spain, and Fourbanne system-French Jura). *Internacional Journal of Speleology*, 37(1): 67-74.
30. Liñán, C., Vadillo, I. y Carrasco, F. (2008): Carbon dioxide concentration in air within the Nerja cave (Malaga, Andalusia, Spain). *Internacional Journal of Speleology*, 37(2): 99-105.
31. Perles, M.J.; Vías, J.M. y Andreo, B. (2009): Vulnerability of human environment to risk. Case of groundwater contamination risk. *Environment International*, 35: 325-335. DOI 10.1016/j.envint.2008.08.005.
32. Sánchez, D.; Carrasco, F. y Andreo, B. (2009): Proposed methodology to delineate bodies of groundwater according to the European Water Framework Directive. Application in a pilot Mediterranean river basin (Málaga, Spain). *Journal of Environmental Management*, 90: 1523-1533. DOI: 10.1016/j.jenvman.2008.11.001.
33. Andreo, B.; Ravbar, N. y Vías, J.M. (2009): Source vulnerability mapping in carbonate (karst) aquifers by extension of the COP method. Application to pilot sites. *Hydrogeology Journal*, 17: 749-758. DOI: 10.1007/s10040-008-0391-1.
34. Liñán, C.; Andreo, B.; Mudry J. y Carrasco F. (2009): Groundwater temperature and electrical conductivity as tools to characterize flow patterns in carbonate aquifers: The Sierra de las Nieves karst aquifer, south Spain. *Hydrogeology Journal*, 17: 843-853. DOI: 10.1007/s10040-008-0395-x.
35. Lentini, A.; Kohfahl, C.; Benavente, J.; García-Aróstegui, J.L.; Vadillo, I.; Meyer, H. y Pekdeger, A. (2009): The impact of hydrological conditions on salinisation and nitrate concentration in the coastal Velez River aquifer (southern Spain). *Environmental Geology*, 58(8): 1785- 1795.
36. Benavente, J.; Vadillo, I.; Carrasco, F.; Soler, A.; Liñán, C. y Moral, F. (2010): Air CO<sub>2</sub> contents in the vadose zone of a Mediterranean karst: field measurements and hydrochemical implications (Nerja Cave experimental site, Souther Spain). *Vadose Zone Journal*, 9 (1):126-136. DOI: 10.2136/vzj2009.0027.

37. Marín, A.I.; Andreo, B. y Mudarra, M. (2010): Importance of evaluating karst features in contamination vulnerability and groundwater protection assessment of carbonate aquifers. The case study of Alta Cadena (Southern Spain). *Zeitschrift für Geomorphologie*, 54(2): 179-194. DOI: 10.1127/0372-8854/2010/0054S2-0010.
38. Vías, J.M.; Andreo, B.; Ravbar, N. y Hötzl, H. (2010): Mapping the vulnerability of groundwater to contamination of four carbonate aquifers in Europe. *Journal of Environmental Management*, 91: 1500-1510. DOI: 10.1016/j.jenvman.2010.02.025.
39. Mudarra, M. y Andreo, B. (2010): Hydrogeological functioning of a karst aquifer deduced from hydrochemical components and natural organic tracers present in spring waters. The case of Yedra Spring (Southern Spain). *Acta Carsologica*, 39(2): 261-270.
40. Mudarra, M. y Andreo, B. (2011): Relative importance of the saturated and the unsaturated zones in the hydrogeological functioning of karst aquifers. The case of Alta Cadena (Southern Spain). *Journal of Hydrology*, 397(3-4): 263-280. DOI: 10.1016/j.jhydrol.2010.12.005.
41. Andreo, B., Carrasco F. y Durán J.J. Editores del volumen especial- (2011): Karst research and resources. *Carbonates and Evaporites*, 26(1):1-2. DOI: 10.1007/s13146-011-0046-5.
42. Benavente, J.; Vadillo, I.; Liñán, C.; Carrasco, F. y Soler, A. (2011): Ventilation effects in a karstic show cave and in its vadose environment, Nerja, Southern Spain. *Carbonatesandevaporites*, 26:11-17.
43. Mudarra, M.; Andreo, B. y Baker, A. (2011) Characterisation of dissolved organic matter in karst spring waters using intrinsic fluorescence: relationship with infiltration processes. *Science of Total Environment*, 409: 3448-3462. DOI:10.1016/j.scitotenv.2011.05.026.
44. Andreo, B. –Editor del volumen especial- (2011): Advances in Karst Hydrogeology. *Environmental Earth Sciences journal* (antes *Environmental Geology*, de la cual hereda FI y posición), aceptado.
45. Mudarra, M.; Andreo, B. y Mudry, J. (2011): Monitoring groundwater in the discharge area of a complex karst aquifer to assess the role of the saturated and unsaturated zones. *Environmental Earth Sciences*. DOI: 10.1007/s12665-011-1032-x.
46. Barberá, J.A. y Andreo, B. (2011): Hydrochemical heterogeneity in the discharge zone of a karstic aquifer. *Environmental Earth Sciences*. DOI: 10.1007/s12665-011-1382-4.
47. Ravbar, N.; Barberá J.A.; Petric, M.; Kogovsek, J. y Andreo, B. (2011): Study of hydrodynamic behaviour of a complex karst system under low-flow conditions using natural and artificial tracers (springs of the Unica River, SW Slovenia). *Environmental Earth Sciences*. DOI: 10.1007/s12665-012-1523-4.
48. Marín, A.I.; Andreo, B. y Dörfliger, N. (2011): Comparative application of two methods (COP and PaPRIKa) for groundwater vulnerability mapping in Mediterranean karst aquifers (France and Spain). *Environmental Earth Sciences*. DOI: 10.1007/s12665-011-1056-2.
49. Marín, A.I.; Andreo, B.; Jiménez-Sánchez M.; Domínguez-Cuesta, M.J.; MeléndezAsensio, M. (2012): Delineating protection areas for caves using

50. contamination vulnerability mapping techniques; the case Herrerias cave (Asturias, Spain). *Journal of Cave & Karst studies*, 74(1): 103-115. DOI: 10.4311/2011jcks0197
51. González-Ramón, A.; Andreo, B.; Ruiz-Bustos, A.; Richards, D.A.; López-Sáez, J.A. y Alba-Sánchez F. (2012): Palaeoenvironmental changes during the Upper Pleistocene in Southeastern Spain: the record of Cucú cave. *Quaternary Research*, 77: 264-272. DOI: 10.1016/j.yqres.2011.12.001
52. Fortes, F.J.; Vadillo, I.; Stoll, H.; Jiménez-Sánchez, M.; Moreno, A. y Laserna, J.J. (2012): Spatial distribution of paleoclimatic proxies in stalagmite slabs using laser- induced breakdown spectroscopy. *Journal of Analytical Atomic Spectrometry*, 27(5): 868-873.
53. Vadillo, I.; Benavente, J.; Neukum, C.; Grützner, C.; Carrasco, F.; Azzam, R.; Liñán, C. y Reicherter, K. (2012): Using surface geophysics and borehole inspection to characterize karst voids and vadose ventilation patterns (Nerja research site, S. Spain). *Journal of Applied Geophysics*, 82: 153-162.
54. Kumar, R., Datta, M., Kumar, A. and Vadillo, I. (2013): Evaluating Groundwater Contamination Hazard Rating of MSW Landfills in India and Europe Using a New System: Case Studies. *Journal of Hazardous, Toxic, and Radioactive Waste*, 17: 62-73.
55. Urresti Estala, B., Carrasco Cantos, F., Vadillo Pérez, I. y Jiménez Gavilán, P. (2013): Determination of background levels on water quality of groundwater bodies: A methodological proposal applied to a Mediterranean River basin (Guadalhorca River, Málaga, southern Spain). *Journal of Environmental Management*, 117: 121-130.
56. Hartmann A., Barberá J.A., Lange J, Andreo B. y Weiler M. (2013): Progress in the hydrologic simulation of time variant recharge areas of karst systems – exemplified at a karst spring in Southern Spain. *Advances in Water Resources*, 54 (2013) 149–160. <http://dx.doi.org/10.1016/j.advwatres.2013.01.010>
57. Hartmann, A., Weiler, M., Wagener, T., Lange, J., Kralik, M., Humer, F., Mized, N., Rimmer, A., Barberá, J.A., Andreo, B., Butscher, C., Huggenberger, P. (2013): Process-based karst modelling to relate hydrodynamic and hydrochemical characteristics to system properties. *Hydrology and Earth System Sciences* 17: 3305-3321. DOI: 10.5194/hess-17-3305-2013
58. Foster, S.; Hirata, R. y Andreo, B. (2013): The aquifer pollution vulnerability concept –aid or impediment in promoting groundwater protection? *Hydrogeology Journal*, 21:1389-1392 DOI: 10.1007/s10040-013-1019-7
59. Mudarra, M. y Andreo, B. (2013): Hydrochemical dynamics of TOC and NO<sub>3</sub>- contents as natural tracers of infiltration in karst aquifers. *Environmental Earth Sciences*, 71(2): 507-523. DOI: 10.1007/s12665-013-2593-7
60. Barberá, J.A., Andreo, B. y Almeida, C (2014): Using non conservative tracers to characterize karstification processes in the Merinos-Colorado-Carrasco carbonate aquifer system (southern Spain). *Environmental Earth Sciences*, 71(2): 585-599. DOI: 10.1007/s12665-013-2754-8
61. Mudarra, M., Andreo, B., Marín, A.I., Vadillo, I. y Barberá, J.A. (2014): Combined use of natural and artificial tracers to know the hydrogeological functioning of a karst aquifer: the Villanueva del Rosario system (Andalusia, southern Spain). *Hydrogeology Journal*, 22: 1027-1039. DOI: 10.1007/s10040-014-1117-1
62. Hartmann, A., Mudarra, M., Mudarra, M., Andreo, B., Marín, A.I., Wagener, T. y Lange, J. (2014): Modeling spatio-temporal impacts of hydro-climatic extremes on groundwater recharge at a Mediterranean karst aquifer. *Water Resources Research* 50(8): 6507-6521. DOI: 10.1002/2014WR015685
63. Sanz de Galdeano, C., López Garrido, A.C. y Andreo, B. (2014): The Internal Subbetic of the Velez-Rubio area (SE Spain): is it tectonically detached or not? *Journal of Geodynamics*, 83:65-75. DOI: 10.1016/j.jog.2014.09.009

64. Barberá, J.A. y Andreo, B. (2015): Hydrogeological processes in a fluviokarstic area inferred from the analysis of natural hydrogeochemical tracers. The case study of eastern Serranía de Ronda (S Spain). *Journal of Hydrology*, 523: 500-514. DOI: <http://dx.doi.org/10.1016/j.jhydrol.2015.01.080>
65. Sánchez, D.; Barberá, J.A.; Mudarra, M. y Andreo, B. Título: Hydrogeochemical tools applied to the study of carbonate aquifers. Examples from some karst systems of Southern Spain. *Environmental Earth Sciences*, 74: 199-215. DOI: [10.1007/s12665-015-4307-9](https://doi.org/10.1007/s12665-015-4307-9)
66. Marín, A.I.; Andreo, B. y Mudarra, M. (2015): Vulnerability mapping and protection zoning of karst springs. Validation by multitracer tests. *Science of the Total Environment*, 532: 435-446. DOI: [10.1016/j.scitotenv.2015.05.029](https://doi.org/10.1016/j.scitotenv.2015.05.029)
67. Walczak I.W., Baldini J.U.L., Baldini L.M., McDermott F., Marsden S., Standish Ch.D., Richards D.A., Andreo B. y Slater J. (2015): Reconstructing high resolution climate using CT scanning of unsectioned stalagmites: a case study identifying the mid-Holocene onset of the Mediterranean climate in southern Iberia. *Quaternary Science Review*. DOI: <http://dx.doi.org/10.1016/j.quascirev.2015.06.013>
68. Andreo, B. –Editor del volumen especial- (2015): Introductory editorial: thematic issue: Progress in Karst Research (prólogo del volumen especial). *Environmental Earth Sciences*. DOI: [10.1007/s12665-015-4719-6](https://doi.org/10.1007/s12665-015-4719-6)
69. Martos-Rosillo S., González-Ramón A., Jiménez-Gavilán P., Andreo, B., Durán J.J. y Mancera E. (2015): Review on groundwater recharge in carbonate aquifers from SW Mediterranean (Betic Cordillera, S Spain). *Environmental Earth Sciences*. DOI: [10.1007/s12665-015-4673-3](https://doi.org/10.1007/s12665-015-4673-3)